



Product Code . DS-EE-11461



LCR Meter

Description

Features:

- An idea tool for labs, factories, and radiotechnology, etc.
- Large LCD display, Unit symbol display, makes the reading clearer and the operation more convenient.
- Max. measuring range of capacitance:2000uF, and Max. measuring range of frequency:10MHz..
- Full function protection, anti high voltage circuit design(voltage dependent resistor:1300V)..
- Peak value holds and data hold. Strong antimagnetic and anti-jamming performance..
- Resistance: 200?, 2K/20K/200K/2M?, 20M?, 2000M?
- Capacitance: 20nF/200nF/2uF, 20uF/200uF
- Inductance: 2mH/20mH/200mH/2H/20H
- Temperature: -20~1000?C
- Frequency: 2k/20k/200k/2000K/10MHz
- DCV: 200mV/2V/20V/200V, 1000V
- ACV: 200mV, 2V/20V/200V, 750V

-
- DCA and ACA: 2mA/20mA, 200mA, 20A
 - Transistor, Diode and continuity test
 - Power source: 9V Battery
 - Accessories: Test lead, thermocouple, test socket, battery and user manual
-

Didac Scientific Pvt. Ltd,
Martinfield Business Centre, 108 Martinfield, Welwyn Garden City , United Kingdom
Direct Contact Details  sales@didacscientific.co.uk
 www.didacscientific.co.uk/